



WWP 45

With an hourly pump capacity of up to 45 m3 of water, the WWP 45 waste water pump impresses with a powerful petrol engine in applications where there is no external power supply.



1 Developed for tough applications


- A robust tubular steel frame reliably protects the machine against damage.
- Also easily processes coarse particles up to a size of 30 millimetres.

2 Very powerful

- Uninterrupted pumping of up to 100 m3 of water per tank filling.
- For the quick pumping of very large water volumes (750 l/min or 45 m3/h).

TECHNICAL DATA AND EQUIPMENT

KARCHER



WWP 45

		Recoil start with manual choke
		Compact dimensions and low weight
		Robust cage frame
Technical data		
Flow rate	m³/h	<= 45
Max. suction height	m	7
Max. delivery head	m	25
Max. particle size	mm	max. 30
Motor type		Petrol
Cubic capacity	cm ³	196
Motor rating	kW / hp	4.8 / 6.5
Tank capacity	I	3.6
Dimensions (L × W × H)	mm	629 × 425 × 445
Weight	kg	35.7 / 36 / 40
Equipment		
Manual choke		I Contraction of the second seco

Manual choke		
Oil dipstick		
Suction basket		
Hose clamp	piece(s)	3
Hose coupling	piece(s)	2
Included in the scene of sumply		

Included in the scope of supply.

		Order no.				Price	Description	
Machine accessories		1					1	
Suction hose (5m)	1	2.645-340.0						
Drain hose (10m)	2	2.645-341.0						
Add-on kit Premium accessories	3	2.852-735.0					For the simple and professional connection of hoses to our WWP 45 waste water pump: the premium accessories pa- ckage with hose connectors, hinge bolt clamps and hose coupling wrench.	
Claw coupling Storz-B-d75	4	6.395-194.0						
Claw coupling Storz-B-3"I	5	6.395-197.0						
Hinge bolt clamp two parts 75-83	6	6.667-903.0						
Key C- und B- Kupplung	7	6.815-136.0						
Available accessories			·	·			·	

 $\hfill\square$ Available accessories.